
Product Information

FBAL


--- p-Fluorobenzaldehyde ---



Description

p-Fluorobenzaldehyde is a clear colorless liquid.

Chemical formula: C_7H_5FO



Molecular weight: 124.1

Typical Properties

Appearance, visual	clear liquid
Purity, %	98.5
Color, HAZEN	15-20
Boiling Point, °C	181
Melting Point, °C	-10
Vapor Pressure, 25°C, mmHg	Not known
Acid value, mgKOH/g	0.2
Specific gravity, 20°C	1.157
Odor	Aromatic odor
Solubility Soluble in ethanol, ether and toluene	Insoluble in water

Sales Specifications

Purity, GC, %	Under construction
Color, spectrophotometry, HAZEN	Under construction
Acid value, titration, mgKOH/g	Under construction

Applications

Additives for resins, Pharmaceutical intermediate
Agricultural intermediate

Container Information

Precautions for Safe Handling and Use**Extinguishing media**

Small fire: Carbon dioxide,

Large fire: Water spray or alcohol foam

Health safety precautions

Avoid contact with eyes, skin and clothing.

Avoid breathing vapor.

Wash thoroughly the face, the hands after handling.

Storage conditions

Store in cool and dry place.

For specific safety, handling and toxicity information,
please refer to the current Material Safety Data Sheet.

First Aid**If inhaled**

Remove to fresh air immediately. Call a physician.

Skin contact

Wash skin thoroughly with a plenty of soap and water
while removing contaminated clothing and shoed.

Eye contact

Immediately flush eyes with a plenty of water enough.
Call a physician.

If swallowed

Induce vomiting if victim is conscious. Call a physician.

Never give anything by mouth to an unconscious person.

Chemical Registration Numbers CAS: 459-57-4
EINECS: 2072936

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Mitsubishi Gas Chemical Company. It is the responsibility of the users to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patents.



Americas **MITSUBISHI GAS CHEMICAL AMERICA, INC.**
665 Third Avenue 24th Floor, New York, NY 10017 U.S.A.
Phone: +1-212-687-9030 · Fax: +1-212-687-2810

Europe **MITSUBISHI GAS CHEMICAL EUROPE GMBH**
Immermannstr.13, D-40210 Dusseldorf, Germany
Phone: +49-211-363080 · Fax: +49-211-354457

Head Office **MITSUBISHI GAS CHEMICAL COMPANY, INC.**
5-2, 2-chome, Marunouchi, Chiyoda-ku, Tokyo 100-8324 Japan
Phone: +81-3-3283-4812 · Fax: +81-3-3214-0938